

# CARBON STORAGE NEWSLETTER

# C S N

VOL. 21, NO. 12

This newsletter is compiled by the National Energy Technology Laboratory to provide information on recent activities and publications related to carbon storage. It covers domestic, international, public sector, and private sector news in the following areas:

- ▷ DOE/FECM/NETL HIGHLIGHTS
- ▷ ANNOUNCEMENTS
- ▷ PROJECT and BUSINESS DEVELOPMENTS
- ▷ LEGISLATION and POLICY
- ▷ EMISSIONS TRADING
- ▷ SCIENCE
- ▷ PUBLICATIONS

## CARBON STORAGE PROGRAM DOCUMENTS and REFERENCE MATERIALS

- ▷ Carbon Storage Educational Resources
- ▷ Program Reports, Plans, and Roadmaps
- ▷ Conference Proceedings
- ▷ Carbon Storage Portfolio
- ▷ Systems Analysis
- ▷ Peer Review
- ▷ Best Practices Manuals
- ▷ Fossil Energy and Carbon Management Techlines

## DOE/FECM/NETL HIGHLIGHTS

### *DOE Releases RFI on Deployment-Ready CO<sub>2</sub> Reduction, Removal Tech.*

The U.S. Department of Energy (DOE) *released a Request for Information (RFI)* on demonstration-ready technologies that can reduce emissions and remove carbon dioxide (CO<sub>2</sub>) from the atmosphere. The RFI seeks feedback from industry, investors, developers, academia, research laboratories, government agencies, non-governmental organizations (NGOs), and potentially affected communities (including environmental justice, tribal, energy transition, and other communities). Information provided through the RFI, which follows the enactment of the Bipartisan Infrastructure Law, is expected to inform the design of successful projects as well as the effective, just, and sustainable deployment of technologies that will enable a safe climate future, with particular attention to including historically marginalized communities in the decision-making process. Responses are due by January 24, 2022. From *energy.gov*. December 2021.

### *DOE Funding to Support DAC and Carbon Storage.*

DOE announced funding to leverage existing low-carbon energy to scale-up direct air capture (DAC) technology combined with carbon storage. DAC, a CO<sub>2</sub>-removal (CDR) approach, separates CO<sub>2</sub> from ambient air for either underground storage or conversion into products. The *Funding Opportunity Announcement (FOA)* will facilitate engineering studies of advanced DAC systems capable of removing 5,000 metric tons of CO<sub>2</sub> per year from the air. The studies will provide detailed information on the operation of these systems and potential investment costs that will enable DOE to accelerate research and development (R&D) for existing DAC technologies co-located with domestic low-carbon thermal energy sources, such as nuclear power plants, geothermal resources, and industrial plants. This FOA is a collaborative effort among DOE's Office of Fossil Energy and Carbon Management (FECM), Office of Nuclear Energy, and Office of Energy Efficiency and Renewable Energy's Geothermal Technologies Office. From *energy.gov*. October 2021.

## ANNOUNCEMENTS

### *DOE Announces Intent to Fund Carbon Storage Projects.*

DOE's FECM released a *Notice of Intent (NOI)* to fund cost-shared R&D projects to accelerate wide-scale deployment of carbon capture and storage (CCS) and CDR. CDR technologies remove CO<sub>2</sub> directly from the atmosphere, and CCS technologies reduce CO<sub>2</sub> emissions from power plants and industrial facilities by capturing the CO<sub>2</sub> they produce. The potential projects will be selected under DOE's *Carbon Storage Assurance Facility Enterprise (CarbonSAFE) Initiative*, which focuses on developing geologic storage sites with capacities to store at least 50 million metric tons of CO<sub>2</sub>.

### *DOE Announces New CO<sub>2</sub> Removal, Storage Goal.*

U.S. Secretary of Energy Jennifer M. Granholm announced DOE's new goal to remove gigatons of CO<sub>2</sub> from the atmosphere and store it for less than \$100/ton of net CO<sub>2</sub>-equivalent. The "Carbon Negative Shot," the third target within *DOE's Energy Earthshots Initiative*, is a call for innovation in the expanding field of CDR. CDR is defined as a wide array of approaches that capture CO<sub>2</sub> directly from the atmosphere and durably store it in geological, bio-based, and ocean reservoirs or in value-added products to create negative emissions.



### *DOE Releases Joint Mission Statement on Carbon Dioxide Removal Mission.*



**CARBON DIOXIDE  
REMOVAL**  
MISSION

The *Carbon Dioxide Removal Mission* will seek to enable CDR technologies to achieve net reduction of 100 million metric tons of CO<sub>2</sub> per year globally by 2030. The focus of the mission is to enhance the systems that lead

to negative emissions through an emphasis on secure CO<sub>2</sub> storage and conversion into long-lived products. Co-leads of the mission include DOE, the Ministry of Energy (Kingdom of Saudi Arabia), and Natural Resources Canada.

## ANNOUNCEMENTS (cont.)

### DOE Announces Funding to Deploy CCUS.

DOE announced funding for an initiative focused on accelerating the regional deployment of carbon capture, utilization, and storage (CCUS). The *Regional Initiative to Accelerate CCUS Deployment* is designed to identify and address regional storage and transportation challenges facing the commercial deployment of CCUS. The four Regional Initiatives, which represent four regions of the United States, continue the work of predecessor projects funded under *DOE's Regional Carbon Sequestration Partnership (RCSP) Initiative*, supporting efforts to validate geologic storage technologies and support the commercialization of CCS.

### DOE Invests to Decarbonize Using CCS.

DOE announced funding for 12 projects to advance point-source CCS technologies that can capture at least 95% of CO<sub>2</sub> emissions generated from natural gas power and industrial facilities. The projects were selected by *DOE's FECM* and will be managed by the National Energy Technology Laboratory (NETL). The 12 R&D front-end engineering design and engineering-scale projects are part of DOE's efforts to help achieve the administration's goals of net-zero carbon emissions by 2050 and a 100% clean electricity sector by 2035.

### SMART Team Develops Reservoir Models for Depositional Environments.



The Science-informed Machine Learning for Accelerating Real-Time Decisions in Subsurface Applications (SMART) Team has developed machine learning-based predictive models for geologic CO<sub>2</sub> storage. The SMART Initiative is funded by *DOE/NETL's Carbon Storage and Upstream Oil and Gas Programs*.

### Alliance to Develop Technical, Commercial Solutions to CCS Projects.

Technology provider *TechnipFMC* and offshore energy company *Talos Energy* entered into a partnership to develop technical and commercial solutions for CCS projects along the U.S. Gulf Coast. The companies will collaborate to advance CCS opportunities through the full life cycle.



### 10 THINGS YOU SHOULD KNOW ABOUT FECM

- Fossil Energy (FE) is now Fossil Energy and Carbon Management (FECM)**  
The Office of Fossil Energy officially added "Carbon Management" to its name as of July 14, 2021.
- Our New Name is Our New Vision**  
The Biden-Harris Administration has put forth ambitious climate and energy goals. In order to meet these goals, we must reduce the carbon that comes with the legacy and continued use of fossil fuels. Adding "carbon management" encompasses this vision fully into our name.
- FECM Tackles Climate Change**  
When rising to the challenge of this climate crisis, and seeing the opportunity to do things better. Our job is... above all... to limit the climate and environmental impacts of fossil fuels.
- We're at the Forefront in the Clean Energy Transition**  
FECM plays an important role in providing solutions that address the climate crisis. We are focused on innovative technologies that will help build a clean energy economy.
- Science and Research Matter**  
FECM is working to minimize the social and environmental impacts associated with our dependence on fossil fuels. Our research priorities include more secure carbon capture, CO<sub>2</sub> removal, CO<sub>2</sub> conversion into products, reliable CO<sub>2</sub> storage, blue hydrogen production, and critical mineral production. From industrial and mining waste.
- Our Path to Net-Zero Carbon Emissions by 2050**  
Point source carbon capture and reliable storage (CCS), as well as CO<sub>2</sub> removal from the atmosphere to address our fastest to decarbonize sectors, are essential to get where we need to be... a low-carbon economy at the lowest possible cost.
- Carbon Capture, Utilization and Storage**  
DOE is a global leader in the research and development of CCS, carbon removal, reliable storage and the conversion of CO<sub>2</sub> into products. FECM is key to developing and deploying innovative supply chains like cement and concrete, steel, paper, fuel, nylon, polyester and other important products that we rely on everyday.
- A Clean and Secure Energy Future**  
Going forward, we also know that securing low-carbon hydrogen will be critical to produce fuels and chemicals with CO<sub>2</sub> as a feedstock. And carbon capture has enormous potential to help advance a low-cost and low-carbon hydrogen economy.
- We're Committed to Communities**  
FECM is dedicated to pursuing these important technologies in a way that ensures we can meet our national goals in just and sustainable ways. We're committed to improving the conditions of communities impacted by the legacy and continued use of fossil fuels, and we envision a low-carbon and low-carbon hydrogen economy.
- The Work Continues**  
Learn more about our evolving work at <https://www.energy.gov/science/innovations/energy-sources/fossil>

U.S. DEPARTMENT OF ENERGY | Fossil Energy and Carbon Management | August 2021

### FECM Infographic Available.

DOE's FECM released an infographic providing facts and information on its vision and goals. "*10 Things You Should Know About FECM*" is available for download.

### UK Awards CO<sub>2</sub> Storage License.

The United Kingdom's (U.K.) Oil and Gas Authority awarded a CO<sub>2</sub> appraisal and storage license to Harbour Energy, who proposes to reuse depleted gas fields to store CO<sub>2</sub>. Injection is targeted in 2026.

### Carbon Zero Grand Challenge Seeks CCUS Solutions.

Singapore's *national water agency* launched the Carbon Zero Grand Challenge, seeking CCUS and removal solutions for its water treatment facilities to achieve net-zero emissions by 2050. Proposals are being accepted through February 2022.

### Canada Co-Op Plans CCS Facilities.

Canada's Federated Co-Operatives signed a Memorandum of Understanding with Whitecap Resources Inc. to store 500,000 metric tons of CO<sub>2</sub> equivalent annually at Whitecap's Weyburn, Saskatchewan, carbon storage site.

### UK Government Issues Response to Climate Change Committee Report.

The U.K. government released its response to a *Climate Change Committee* report on the progress made in adapting to climate change and recommendations moving forward. The U.K. government's *Net-Zero Strategy* is available.



## PROJECT and BUSINESS DEVELOPMENTS

### North Dakota Approves CCS Project.

The North Dakota Industrial Commission approved a CCS project, marking the first time a CCS project in the United States has fallen under the authority of a state rather than the U.S. Environmental Protection Agency. North Dakota received primacy of Class VI wells in 2018, giving the state primary regulatory authority over the use of wells for underground CO<sub>2</sub> injection. The project involves Red Trail Energy capturing CO<sub>2</sub> from its ethanol facility near Richardton, North Dakota, with the intent to inject and store approximately 180,000 metric tons of CO<sub>2</sub> per year. From *Upstream*. October 2021.

### Clean Energy Complex to Feature CCS.

Air Products plans to build, own, and operate a project that will produce more than 750 million standard cubic feet per day of blue hydrogen in Louisiana (USA). The "blue" products at the clean energy complex will be produced utilizing hydrocarbons as a feedstock, with the CO<sub>2</sub> in the production process captured for storage. From *Air Products*. October 2021.



## PROJECT and BUSINESS DEVELOPMENTS *(cont.)*

### *Partnership to Accelerate CCUS Technology.*

Aker Carbon Capture and U.K. waste management company Viridor announced plans for a partnership for next-generation modular CCUS technology. Viridor plans to explore the installation of modular CCS plants on five of its waste-to-energy sites across the U.K. The modular plants enable the CCUS technology to be deployed more quickly following planning and permitting. From *Aker Carbon Capture*. October 2021.

### *Consortium to Explore CCS Opportunities in Australia.*

Woodside, BP, and Japan Australia LNG formed a consortium to advance feasibility studies for a CCS project near Karratha in Western Australia. The consortium will assess the technical, regulatory, and commercial feasibility of capturing CO<sub>2</sub> released by multiple industries located near Karratha on the Burrup Peninsula and storing it in offshore reservoirs in the Northern Carnarvon Basin. From *Rigzone*. November 2021.

### *Companies Agree on Full-Scale Pilot Retrofit of CCS System.*

Wärtsilä Exhaust Treatment and Solvang ASA, a Norwegian shipping company, agreed on a full-scale pilot retrofit installation of a CCS system on one of Solvang's ethylene carriers. Wärtsilä will design the retrofitted unit while it also completes a land-based, 1-megawatt (MW) test system. The land-based unit is planned for completion in 2021, and the companies project completion of the retrofit pilot system by 2023. From *The Maritime Executive*. October 2021.

### *Large-Scale Facility to Convert CO<sub>2</sub> to Fuel.*

Preliminary engineering and design has begun on a large-scale, commercial facility in British Columbia, Canada, that will capture CO<sub>2</sub> and convert it to clean fuels. Clean energy company Huron Clean Energy will partner with The Upper Nicola Band, Oxy Low Carbon Ventures, and Carbon Engineering (CE) on the facility, which will combine atmospheric CO<sub>2</sub> with hydrogen to produce fuels. The proposed facility is being designed to utilize CE's technologies to capture atmospheric CO<sub>2</sub> and deliver up to 100 million liters of carbon fuel each year. From *Carbon Engineering*. October 2021.

## LEGISLATION and POLICY

### *Australia Announces CCUS Initiatives.*

The Australian government announced initiatives encouraging CCUS efforts. Among the initiatives is the CCUS Hubs and Technologies Program, which aims to deploy CCUS at scale by encouraging domestic and international research collaborations and lowering the cost of technology adoption. From *The Chemical Engineer*. October 2021.

### *Potential Tax Incentives Include CCS Modifications.*

The U.S. House Ways and Means Committee released legislation that includes "Green Energy Provisions" that would incentivize cleaner, more efficient operations that focus on reducing emissions. In addition, the provisions contain several modifications to the development of the CCUS market. From *Financial Executives International*. October 2021.

### *Iowa Task Force to Review Carbon Storage Policy Recommendations.*

The Iowa Carbon Sequestration Task Force (USA) *met to discuss policy recommendations* for lawmakers within the state. *Announced in July 2021*, the Carbon Sequestration Task Force is supported by two working groups: the Agriculture Working Group and the Energy Working Group. From *Radio Iowa*. October 2021.

### *UK Plan Includes CCS Funding.*

The U.K. government unveiled its *Net-Zero Strategy*, which includes the funding of two CCS hubs. The East Coast Cluster project will look to develop offshore infrastructure to transport and store CO<sub>2</sub> in the U.K.'s North Sea. The Hynet project plans to produce clean hydrogen and capture and store CO<sub>2</sub> from industry. From *Bloomberg*. October 2021.

### *North Carolina Bill Calls for CO<sub>2</sub> Reductions.*

The Governor of North Carolina (USA) signed a bipartisan energy measure aimed at reducing the state's greenhouse gas emissions in the coming decades. *HB 951* requires the North Carolina Utilities Commission to take steps needed to achieve the goal of reducing energy producers' CO<sub>2</sub> emissions by 70% by 2030 and to reach carbon neutrality by 2050. From *Watauga Democrat*. October 2021.



## EMISSIONS TRADING

### *Western Australia Legislation to Enable Carbon Trading by Forest Products Commission.*

The Western Australia Forestry Minister introduced a bill that would allow the state's Forest Products Commission (FPC) to own and trade carbon assets. The bill would amend the Forest Products Act 2000, under which the FPC was limited to dealing with "forest products." (Forest products are defined to mean trees, parts of trees, and similar products.) The amendments would also allow the FPC to obtain and trade Australian Carbon Credit Units. From *Government of Western Australia*. October 2021.



## SCIENCE

### *New Research Findings Could Help Inform How Zeolites Used in CCS.*

Researchers from Northwestern University analyzed ancient zeolite specimens collected from the edges of East Iceland and discovered that zeolites separate calcium isotopes differently than previously thought. The findings could help quantify temperatures in both modern and ancient geologic systems, as well as inform CCS efforts. The results of the study were published in the journal *Communications Earth and Environment*. From *Science Daily*, October 2021.

### *Researchers Study Effects of Antibiotics, Temperature on Carbon Sinks.*

Ecologists from Cary Institute of Ecosystem Studies (New York, USA) investigated the effects of rising temperatures and a common livestock antibiotic on soil microbes. The research team found that heat and antibiotics disrupt soil microbial communities—degrading soil microbe efficiency, resilience to future stress, and ability to store CO<sub>2</sub>. The study, published in the journal *Soil Biology and Biochemistry*, found that rising temperatures alone increased soil respiration and dissolved organic carbon, which could reduce long-term carbon storage capacity. From *Science Daily*, November 2021.

## PUBLICATIONS

### *Financing CCS in Developing Countries.*

The following is from the Introduction of this Global CCS Institute report: “CCS is vital to solving the climate crisis, which experts believe will require the world’s emissions to reach net-zero by 2050. To this, the IEA’s Sustainable Development Scenario (SDS) estimates that ±9% of the world’s emissions reductions must come as a result of deployment of CCS across numerous sectors. It is one of the few technologies that can substantially reduce emissions from hard-to-abate sectors as well as in decarbonising fossil fuel powered electricity generation. It is also one of the few technologies that can be used to create negative emissions through bioenergy with CCS or Direct Air Capture (DAC). To ensure that CCS can meet the SDS’ requisites, its deployment must occur in all parts of the world where opportunities exist for its application. This means that CCS must be deployed in both developed and developing countries. Given the long lead times associated with developing CCS projects, the steps taken between now and 2030 will determine whether CCS technology will be deployed at the scale necessary to meet net-zero emissions by 2050. It must, therefore, be the case that between 2030 and 2050 the rate of deployment of CCS must increase by more than a factor of 100. This implies that a rapidly growing demand for CCS projects emerges from debt and capital markets by 2030, and for this to happen, investments in CCS must be significantly derisked during the intervening years. Some parts of the world will lend themselves better to the challenge of early deployment than others, specifically the difference in levels of deployment in developed countries versus developing countries. Developing countries represent high-risk environments for investments in CCS, which create funding gaps for CCS projects. This in turn poses a significant risk to the timely deployment of this vital technology. It is the role of climate finance to help close such funding gaps. This report examines how CCS projects can be structured so as to avail themselves to the different climate finance options currently available to support their deployment around the world.”



significant impacts on biodiversity and public health. Reducing waste, retaining the value of resources and minimising the overall impact of the products we use and dispose of is essential to reduce the environmental pressures created by the growing amount of waste we create. To do so, we need to establish a set of integrated waste reduction and management measures. Waste management conditions vary from region to region; due to these differences, waste management measures must be tailored to local waste management systems. Within the EU the amount of generated waste per capita varies from 280 kg in Romania to 844 kg in Denmark (per person, per year).”

### *Achieving negative emissions through oceanic sequestration of vegetation carbon as Black Pellets.*

The following is from the abstract of this article: “Natural processes and human activities produce vast amounts of dead vegetation which return CO<sub>2</sub> to the atmosphere through decay and combustion. If such vegetation could be converted into biocoal and sequestered on the ocean floor, it could reduce the accumulation of atmospheric CO<sub>2</sub> without involving sequestration in the form of CO<sub>2</sub>. Given that raw vegetation is unsuitable for large-scale energy applications, a process was developed to convert raw vegetation into a form of biocoal, termed Black Pellets, that solves the logistical and energy conversion problems of using raw vegetation for power generation. Seemingly overlooked is that properties of Black Pellets—higher density than seawater and resistance to microbial decay—may offer an environmentally safe way of sequestering vegetation carbon on the sea floor. Sequestering vegetation carbon by depositing biocoal as Black Pellets in the deep ocean (oceanic sequestration of biocoal—OSB) would be a means of achieving long-lasting negative emissions. Sacrificing the energy content of the deposited pellets would require substituting energy from other sources. If the substitute energy could be from lower-carbon natural gas or carbon-free sources, the effects would be less accumulation of atmospheric CO<sub>2</sub> compared to using the pellets for energy and a nearly 60 to 100% reduction in the need for geologic sequestration compared to bioenergy carbon capture and storage (BECCS). If confirmed by research, OSB would be an addition to the sparse toolbox of negative emission technologies (NETs) which would give humankind more flexibility in meeting the goals of the Paris Agreement.” **Leonard A. Miller and Philip M. Orton**, *Climatic Change*. (Subscription may be required.)

### *Waste Incineration and Carbon Capture and Storage.*

The following is a segment of this Bellona Europa Position Paper: “In 2019, the European Union (EU) generated 224 Mt of municipal waste. Out of these 224 Mt, 53 Mt were landfilled, 60 Mt incinerated and 107 Mt recycled. Export of hazardous and non-hazardous waste had tripled between 2001 and 2020, growing from 6.3 million tonnes to 32.7 million tonnes respectively. With a 3% share of EU greenhouse gas emissions in 2017, the municipal waste sector is the fourth largest contributor to emissions in the EU. In 2017, the emissions registered for the waste sector amounted to approximately 138 million tonnes of greenhouse gases. That number grows even larger when emissions from waste to energy plants, currently covered by emission accounting in the power sector, are included. Emissions from waste incineration in Europe grew from 5,373kt<sup>3</sup> CO<sub>2</sub> in 1990 to 95,628kt of CO<sub>2</sub> and are now approximately equivalent to emissions coming from landfills. Other than its impact on the climate, waste disposal has



## PUBLICATIONS (cont.)

### *A real options approach to production and injection timing under uncertainty for CO<sub>2</sub> sequestration in depleted shale gas reservoirs.*

The following is from the abstract of this article: "Depleted shale gas reservoirs may be candidates for conversion to injection wells for the long-term geologic storage of CO<sub>2</sub>, but the decision to transition from production to injection depends on economic and policy factors that may be uncertain. This paper aims to comprehend the uncertainty inherent to the underlying assumptions of CO<sub>2</sub> sequestration and their impact on the injection decision. [The authors] view and analyze the production to injection transition decision as a kind of options problem, where the owner of a producing well can choose to exercise the option to stop producing natural gas and start injecting CO<sub>2</sub>. [The authors'] approach integrates a detailed reservoir model for shale-gas production and CO<sub>2</sub> injection in the Marcellus shale formation with a multi-period decision problem under uncertainty in future prices for CO<sub>2</sub> and produced natural gas. With no uncertainty, the modeling framework is able to identify the optimal timing of the transition to CO<sub>2</sub> injection as a function of natural gas prices and a hypothetical CO<sub>2</sub> price. [The authors] find that a CO<sub>2</sub> price of approximately \$15 per tonne to be needed in order to incentivize a producer to transition to CO<sub>2</sub> injection earlier. If these prices are uncertain, [the authors] find that the option to delay CO<sub>2</sub> injection has value even when CO<sub>2</sub> prices are relatively high and natural gas prices are low, although the option value is highly sensitive to the choice of discount rate and the option value to delay injection is generally very low when CO<sub>2</sub> prices are \$20/tonne or higher. [The authors'] modeling suggests that commitment in carbon pricing regimes is of equal importance to the choice of the price level." **Farid Tayari and Seth Blumsack**, *Applied Energy*. (Subscription may be required.)

### *Assessing the influence of injection temperature on CO<sub>2</sub> storage efficiency and capacity in the sloping formation with fault.*

The following is from the abstract of this article: "Complex factors can affect carbon dioxide (CO<sub>2</sub>) geological storage efficiency and capacity. In this paper, a three-dimensional (3D) conceptual model of the Shiqianfeng formation in the Ordos basin was established (a total of 16 sets of schemes) to study the influence of injection temperature on CO<sub>2</sub> storage efficiency and migration safety in the sloping formation with a fault. In addition, storage capacity is investigated for CO<sub>2</sub> storage site selection. The results show that injection temperature and formation slope have a significant effect on CO<sub>2</sub> storage efficiency. Faulting provides a possible channel for CO<sub>2</sub> leakage. High injection temperature is more likely to cause CO<sub>2</sub> leakage in the sloping formation. When the injection temperatures are 11, 31.5, 51 and 71°C in the 15° slope formation, the time points of CO<sub>2</sub> leakage are 200, 170, 150 and 140 years, respectively. The lower injection temperature results in a higher CO<sub>2</sub> concentration near the injection well and a closer migration distance of dissolved CO<sub>2</sub>. The larger the formation slope is, the farther the dissolved CO<sub>2</sub> migration distance will be. The higher injection temperature results in a greater gas phase, dissolved phase, and total CO<sub>2</sub> storage amount in the whole formation. The larger the formation slope is, the smaller the CO<sub>2</sub> storage capacity will be for CO<sub>2</sub> injected over 20 years. However, the larger formation slope resulted in a smaller gas phase and larger storage amount of the dissolved phase CO<sub>2</sub> for CO<sub>2</sub> migration after 140 years. The influence of the formation slope on the dissolved CO<sub>2</sub> migration safety is more obvious than that of injection temperature. However, the influence of the injection temperature on CO<sub>2</sub> storage capacity is more obvious than that of the formation slope." **Jing Jing, Yanlin Yang, and Zhonghua Tang**, *Energy*. (Subscription may be required.)

### *A guideline for appropriate application of vertically-integrated modeling approaches for geologic carbon storage modeling.*

The following is from the abstract of this article: "Mathematical modeling is an essential tool for answering questions related to geologic carbon storage (GCS). The choice of modeling approach depends on the type of questions being asked. In this paper [the authors] discuss a series of approaches with a hierarchical complexity including vertically-integrated single-phase flow approaches, vertically-integrated multi-phase flow approaches (with and without vertical equilibrium assumption), three-dimensional multi-phase flow approaches, and fully-coupled multi-phase flow approaches that couple flow with geochemistry and/or geomechanics. Three spatial scales are used to categorize the questions to be addressed by modeling: regional scale (encompasses CO<sub>2</sub> plume extent and majority of area of pressure impact of one or more injection operations), site scale (includes the CO<sub>2</sub> plume extent and some of the area impacted by the pressure increase of a single injection site), and well scale (the immediate vicinity of an injection well). A set of guidelines is developed to help modelers choose the most appropriate modeling approach, and show when simpler modeling approaches may be the better choice. Vertically-integrated single-phase flow models are the most appropriate choice at both the site and regional scales, if the pressure impact outside of the CO<sub>2</sub> plume is of interest. Vertically-integrated multi-phase flow models should be chosen at the regional scale, if the locations of CO<sub>2</sub> plumes are of interest, and at the site scale if vertical segregation of CO<sub>2</sub> and brine is fast or vertical heterogeneity in properties can be presented by distinct, continuous layers. Three-dimensional multi-phase flow models are the appropriate choice at the well and site scales for cases with significant vertical flow components of CO<sub>2</sub> and brine. Fully-coupled multi-phase flow models should only be chosen if pore-space alteration through geochemistry or geomechanics feeds back to fluid flow." **Karl W. Bandilla, Bo Guo, and Michael A. Celia**, *International Journal of Greenhouse Gas Control*. (Subscription may be required.)

### *Co-optimizing water-alternating-carbon dioxide injection projects using a machine learning assisted computational framework.*

The following is from the abstract of this article: "In this article, a robust machine-learning-based computational framework that couples multi-layer neural network (MLNN) proxies and a multi-objective particle swarm optimizer (MOPSO) to design water-alternating-carbon dioxide injection (CO<sub>2</sub>-WAG) projects is presented. The proposed optimization protocol considers various objectives, including oil recovery and CO<sub>2</sub> storage volume. Expert MLNN systems are trained and employed as surrogate models of the high-fidelity compositional simulator in the optimization workflow. When multiple objective functions are considered, two approaches are employed to treat the objectives: the weighted sum method and the Pareto-front-based scheme. A field-scale implementation focusing on tertiary recovery in the Morrow B formation at Farnsworth Unit (FWU) is presented. The developed Pareto-optimal solutions indicate the maximal available oil production can be  $1.64 \times 10^7$  barrels and maximal carbon storage can achieve  $2.35 \times 10^7$  tons. Trade-offs factor is defined to divide the constructed Pareto front into 4 sections with the trade-off factors' value ranges from 0.35 to 49.9. This work also compares the optimum solution found by the aggregative objective function and the solution repository covered by the Pareto front that considers the physical and operational constraints and reduces uncertainties involved by the multi-objective optimization process. [The authors'] comparison indicates multiple solutions exist to satisfy the objective criteria of the WAG design, and these results cannot be found using the traditional weighted sum method. The Pareto front solution can provide more options for project designers, but decisions regarding necessary trade-offs must be made using the solution repository to balance the project economics and CO<sub>2</sub> storage amount." **Junyu You, William Ampomah, and Qian Sun**, *Applied Energy*. (Subscription may be required.)

## PUBLICATIONS *(cont.)*

*Using socio-technical analogues as an additional experience horizon for nuclear waste management A comparison of wind farms, fracking, carbon capture and storage (CCS) with a deep-geological nuclear waste disposal (DGD).*

The following is from the abstract of this article: "Energy technologies can be described as socio-technical ensembles, in which social, political, economic and technical dimensions are embedded. Based on this concept as well as other theoretical approaches dealing with the deployment and development of technologies (e.g. the multi-level perspective of Geels (2002)) this contribution investigates the dynamics and interactions that can occur within the socio-technical ensemble of a deep geological disposal (DGD) for high-level radioactive waste (HLRW). [The authors] compare socio-technical analogues and relate findings of three energy technologies with large-scale infrastructures to a DGD. The analysis is based on a systematic literature review and aims to gain indirect knowledge for nuclear waste management (NWM) deduced from the dynamics within the socio-technical ensembles of wind farms, fracking and carbon dioxide capture and storage (CCS). The analysis is based on a systematic literature review along four central dimensions with eight respective criteria e.g. public participation, conflicts, role of science, etc." **Dörte Themann and Achim Brunnengräber**, *Utilities Policy*. (Subscription may be required.)

*High-resolution 3D marine seismic acquisition in the overburden at the Tomakomai CO<sub>2</sub> storage project, offshore Hokkaido, Japan.*

The following is from the abstract of this article: "Monitoring injected CO<sub>2</sub> is an important part of assuring permanence of long term storage to mitigate atmospheric emissions. Three-dimensional (3D) seismic has been shown to be an effective technology for visualizing and quantifying subsurface geology and fluids. In this study, [the authors] demonstrate the successful acquisition, processing, and initial interpretation of a first-of-its-kind high-resolution 3D (HR3D) marine seismic survey above an active CO<sub>2</sub> injection site offshore Tomakomai, Japan. An initial sensitivity study indicated generally favorable subsurface conditions for imaging subsurface pore fluid changes. A unique processing workflow incorporating multiple data processing software packages has been tailored to the short-offset and low-fold HR3D acquisition. The final 3D volume shows generally flat and laterally-continuous stratigraphy in the overburden above the injection zone without identifiable faults, indicating coherent overburden above the CO<sub>2</sub> injection site and low associated risk of vertical CO<sub>2</sub> migration. The successful deployment of this novel marine seismic monitoring technology in the overburden at a small-scale (100 kt/yr) demonstration project suggests HR3D will also be a useful characterization and monitoring tool for larger demonstration and commercial-scale (~10 MT) offshore Carbon Capture and Storage (CCS) sites." **T.A. Meckel, Y.E. Feng, R.H. Treviño, and D. Sava**, *International Journal of Greenhouse Gas Control*. (Subscription may be required.)

## ABOUT DOE/NETL'S CARBON STORAGE PROGRAM

The **Carbon Storage Program** at the U.S. Department of Energy's (DOE) National Energy Technology Laboratory (NETL) is focused on developing and advancing technologies to enable safe, cost-effective, permanent geologic storage of CO<sub>2</sub>, both onshore and offshore, in different depositional environments. The technologies being developed will benefit both industrial and power sector facilities that will need to mitigate future CO<sub>2</sub> emissions. The program also serves to increase the understanding of the effectiveness of advanced technologies in different geologic reservoirs appropriate for CO<sub>2</sub> storage—including saline formations, oil reservoirs, natural gas reservoirs, unmineable coal, basalt formations, and organic-rich shale basins—and to improve the understanding of how CO<sub>2</sub> behaves in the subsurface. These objectives are key to increasing confidence in safe, effective, and permanent geologic CO<sub>2</sub> storage.

The [DOE/NETL Carbon Storage Program Overview](#) webpage provides detailed information of the program's structure, as well as links to the webpages that summarize the program's key elements.

### DOE/NETL Carbon Storage Program Resources

Newsletters, program fact sheets, best practices manuals, roadmaps, educational resources, presentations, and more information related to the DOE/NETL Carbon Storage Program is available on [DOE's Energy Data eXchange \(EDX\) website](#).



Rig drilling a site characterization well at the Craig Power Station in Colorado, USA. Photo Source: Schlumberger Carbon Services

## ABOUT NETL'S CARBON STORAGE NEWSLETTER

Compiled by the National Energy Technology Laboratory, this newsletter is a monthly summary of public and private sector carbon storage news from around the world. The article titles are links to the full text for those who would like to read more (note that all links were active at the time of publication).

[Click here to manage your NETL Carbon Storage Newsletter subscription options or to unsubscribe.](#)



The [National Energy Technology Laboratory \(NETL\)](#), part of the U.S. Department of Energy's (DOE) national laboratory system, is owned and operated by DOE. NETL supports DOE's mission to ensure America's security and prosperity by addressing its energy, environmental, and nuclear challenges through transformative science and technology solutions.

1450 Queen Avenue SW  
**Albany, OR** 97321-2198  
 541-967-5892

3610 Collins Ferry Road  
 P.O. Box 880  
**Morgantown, WV** 26507-0880  
 304-285-4764

626 Cochran Mill Road  
 P.O. Box 10940  
**Pittsburgh, PA** 15236-0940  
 412-386-4687

Program staff are also located in  
**Houston, Texas** and **Anchorage, Alaska.**

**CUSTOMER SERVICE:** 1-800-553-7681

[www.netl.doe.gov](http://www.netl.doe.gov)

### Contacts

If you have questions, feedback, or suggestions for NETL's Carbon Storage Newsletter, please contact:

**Carbon Storage Newsletter Support**  
[CSNFeedback@netl.doe.gov](mailto:CSNFeedback@netl.doe.gov)

**Mark McKoy**  
 Technology Manager  
 Carbon Storage  
 304-285-4426  
[Mark.McKoy@netl.doe.gov](mailto:Mark.McKoy@netl.doe.gov)

### Get Social with Us

There are several ways to join the conversation and connect with DOE/NETL's Carbon Storage Program:



### Disclaimer

This Newsletter was prepared under contract for the United States Department of Energy's National Energy Technology Laboratory. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily reflect those of the United States Government or any agency thereof.